Your Farm & Rural Specialist

MARCH / APRIL / MAY 2025

IDEAL FOR KUBOTA

TALON #53000BK Drop in fit for Kubota Heavy duty black vinyl Accepts #940 flip type bracket Accepts #900 slides Steel pan Drain Holes

Will fit Kubota **B & L Series** And many more



CART - STEEL 4 Wheel Steerable



#TC174 2000 lb. capacity. 17 Cubic ft Maneuvers heavy materials around the lawn, garden and farm. Removable tailgate

Bed Size 59"L x 37"W x 16"H FOB St. Marys, ON.

Set-up extra.



CRIMPER 7


The Tar River Implement Roller Crimper is a tool designed to terminate cover crops by crimping the stalk rather than cutting it during its "dough stage".

FOB St. Marys, ON. Set-up extra.

72" working width, 30 HP #CMP-6

#CMP-8 96" working width, 40 HP

BROADCAST SPREADER



Designed specifically for homeowners.

This broadcast turf spreader has a 70-pound capacity weatherresistant poly hopper.

FOB St. Marys, ON. Set-up extra.




PTO LINK QUICK-CONNECT SYSTEM



- * Safely Connect / Disconnect Your PTO in Seconds
- * Simple Two-Step Installation & Easy Removal
- * No Special Installation Tools or Extra Hardware Required
- * Built To Last (AISI Hardend Alloy Steel with QPQ Coating)

Compact System

For Sub compact & compact tractors Category 1



HD System

For tractors 35HP to 130HP

(Tractor)

Category 1, Category 2 or pull behind implement



#PTOLINK-CSF

Female Coupler (Tractor)



#PTOLINK-HDM Male Coupler (Implement)



#PTOLINK-CSM

Male Coupler (Implement)

ailable through our many Farm-Fleet location's across Ontario www.farmfleet.com

ROTARY TILLERS



Gear Drive Transmission 6 Blades Per Flange, PTO with Slip Clutch Powder Coat Paint, Solid A Frame

TXG Series

Built to suit the needs of compact tractors.

6" tilling depth F.O.B. St. Marys ON



#TXG040

41" working width, Series 4 S/C PTO 15 - 30 HP	50 Agg00
15 - 30 HP	2799

#TYC050

πιλαούο	
48" working width, Series 4 S/C PTO 15 - 30 HP	4 A A B B
TO WORKING WIGHT, Series T S/C F TO	JE / JAUUUU
15 - 30 HP	TZU
19 - 90 HF	

#TXG060

59" working width, Series 4 S/C PTO 18 - 30 HP	1000 00
18 - 30 HP	72 777°°

YCT SERIES



Built to suit the needs of tractors from 30 to 60 HP.

7" tilling depth F.O.B. St. Marys ON

#101000		
58" working width, Series 4 S/C PTO 30 - 50 HP	\$2000 00)
30 - 50 HP	42999	

#YCT066	
66" working width, Series 4 S/C PTO 35 - 50 HP	\$ 2 2000
35 - 50 HP	43377

#101074	A
72" working width, Series 4 S/C PTO	5272222222222222
40 - 50 HP	-3711

#YCT082	
81" working width, Series 4 S/C PTO	S 12000
45 - 60 HP	77311

HILLER/RIPPER



COMPACT CAT 1 3PT HITCH HILLER/RIPPER

#HKCI

1 row hiller. Adjustable row width with hi-low hitch. Friction bearings and 18" disc blades. Available with or without shank FOB St. Marys, ON. Set-up extra.

TREE & **POST PULLER** Intimidator

A true land-clearing, obstacle removing attachment for skid steer or Euro/Global Quick Attach system Incorporates a tree/post puller, stump bucket and rock picker all in one



DANUSER

Set-up Extra - FOB St. Marys, ON

#DU12200 Skid steer quick attach	\$640	7900
#DU12200T Skid steer quick attach with side teeth	\$699	
#DU12201 Euro/Global quick attach	\$680	7900

BOX SCRAPERS

CAT. 1 3 Pt. Hitch Rated for tractors 15 to 55 HP Comes with scarifier/ripper shanks to loosen hard ground Available in 4', 5', 6, 7, & 8' working widths FOB St. Marys, ON. Set-up extra.



#3104	4' / 48" with 3 scarifiers \$ 158900
#3105	5' / 60" with 4 scarifiers\$182900
#3106	6' / 72" with 5 scarifiers \$204900
#3107	7' / 84" with 6 scarifiers $\$2329^{00}$
#3108	8' / 96" with 6 scarifiers \$247900

SCRAPER BLADES

CAT. 1 3 Pt. Hitch Rated for tractors 15 to 45 HP 5 Position Angle Forward and Reverse c/w 6" Reversible Cutting Edge Available in 4',5',6 & 7' widths FOB St. Marys, ON. Set-up extra.



#4104	4' / 48" working width \$899 ⁰⁰
#4105	5' / 60" working width \$99900
#4106	6' / 72" working width \$15900
#4107	7' / 84" working width \$131900

LED WORK LAMP FLOOD LAMP

#LW4262 Light penetration 500 ft 12v to 30v application Hooded high UV resistant polyester powder coated aluminum housing Polycarbonate lens Amp draw 2.2@ 12V 4-1/4" dia. x 5" H x 1-13/16" D Stud size 10 mm 3.120 Lumens



\$4699

LED WORK LAMP FLOOD LAMP

#LW4222 Light penetration 500 ft 12v to 30v application Hooded high UV resistant polyester powder coated aluminium housing Polycarbonate lens 4-1/4" dia. x 4-7/8" H x 1-5/8" D Stud size 10 mm 1.755 Lumens



\$3899

SEAT WITH SUSPENSION Vinyl covered molded cushion with suppension weight elides

UNIVERSAL TRACTOR

TALON

Vinyl covered molded cushion with suspension weight slides and multiple hole mounting patterns

W100BK Black W116B Blue W116Y Yellow

\$18749



LED BEACON

DIN Mount
Flash Pattern: Rotating,
Single & Triple

#E-230AD
LED: 32 x 0.5W - Amber
6" H x 3-1/2" D x 1.33" Beacon Profile
Built in pattern selection switch
Rubber housing DIN mount
Polycarbonate lens - Amber
Amp draw 1.0 @ 12V
10V to 30V DC



LED WORK LAMP

Flood Beam Pattern with Center Spot Beam



#LW6007
Light penetration up to 500 ft
1,170 Lumens
Aluminum housing in black finish
Polycarbonate lens
Amp draw .5@ 12V
12v to 30v application
6-5/16" W. x 1-15/16" H x 2-3/8" D
Stud size 5/16"

\$3799

CLASSIC JUMBO RAIN GAUGE

Specially calibrated to ensure accuracy Easy to install Mounting bracket included Funnel is constructed to prevent debris from entering. Easy to read from up to 50 feet. 26 inches tall

820-0002 Green 820-0003 Red 820-0004 Blue 820-0005 Orange



Your Colour Choice \$1799

SMV SIGNS

#1FPC Stick on \$899 #1C Plastic \$1099 #1C-S Steel \$1299



HIGH VISIBILITY

#HVSMV10F Stick on \$1299 #HVSMV10P Plastic \$1599 #HVSMV10 Steel \$1799



S-TINES #J24 10x32x560mm Standard #J25 12x32x560mm Heavy Duty #J30 12x32x660mm **High Clearance**

2 BOLT S-TINE

#J35 12x45x660mm High Clearance . .

#5012660 12x50x660mm High Clearance. .

S-TINE CULTIVATOR **SWEEPS**

#VAT-2 1/4" x 2-3/4" 3/8" bolt hole . . .



7/16" bolt hole .

1/4" x 2-3/4"

#VAT-27

2 BOLT #VS2-2 1/4" x 2-3/4" 12mm bolt hole . .



REVERSIBLE S-TINE POINT

#4062090 40 x 6 x 209mm



.....

CAST POINTS

#CFS25 2-1/2" 7/16" hex bolt hole



7/16" hex bolt hole

#CFS3

Do not use impact guns for installation

NEW ZEALAND CAST POINTS

New Zealand cast tilllage products are made from super wear resistant chrome cast alloy lasting up to 10 times longer.

LASTS UP TO 10 TIMES LONGER





2-1/2" wide, Chromium Material

#NZSP2.5KC

#NZSP2.5C

Kongskilde Concertine 2-1/2" wide, Chromium Materia

#NZSP3C

3" wide, Chromium Material

#NZSP4C

4" wide, Chromium Material

#NZSP4KC

Kongskilde Concertine 4" wide, Chromium Material

NEW ZEALAND CAST SWEEPS

7" BOLT-ON SWEEP

#NZSP7CSS 7" sweep - 47° angle Uses 7/16" or 10mm hex head bolt with lock nut - Not included



7" KNOCK-ON SWEEP

#ATSP7KON 7" sweep - 47° angle Uses Nichols quick change clip





.....



EMPIRE

PRICED FROM

CULTIVATOR SWEEPS 7" & 9"

BOLT-ON SWEEPS

#DFS7B7 7" sweep, 47° angle, 6mm thick 1-5/8" - 1-3/4" center, 7/16" bolt

#DFS9B7 9" sweep, 47° angle, 6mm thick 1-5/8" - 1-3/4" center, 7/16" bolt



KNOCK-ON SWEEPS

#7FT7B 7" sweep, 47° angle, 6mm thick

#7FT9B 9" sweep, 47° angle, 6mm thick



VERTICAL TILLAGE BLADES

#CFS204513 20" x 4.5 mm, 13 wave

4 bolt pattern Salford RTS





#CFS225025

22" x 5.0 mm. Concave 25 wave

Soilrazor

Sunflower Sabre



#CFS225013

22" x 5.0 mm, 13 wave

5 bolt pattern Salford Halo



#CFS226525

22" x 6.5 mm, Flat Back 25 wave 5 bolt pattern

Soilrazor - Sunflower



#CFS225008

22" x 5.0 mm. 8 wave

5 bolt pattern Salford Halo



#VTHEVA20

20" x 4.5 mm. Notched Concave

6 bolt pattern

HE-VA Disc Roller



PRESSURE WASHER **HOSE ASSEMBLY**

Blue Storm - 4000 psi

Most popular hose used for pressure wash application.

The BLUE cover stays clean and the hose is rated for use with water up to 120° C (248° F).

Comes with 3/8" NPT ends (one swivel, one solid) Non marking, 3/8", 1 wire.

#PWBK-360-6NPMS 25ft length . .

#PWBK-600-6NPMS 50ft length

#PWBK-1200-6NPMS 100ft length . . .

SEED FLOW LUBRICANT & TALC

A natural graphite powder. Helps seeds flow smoothly.

SEED FLOW LUBRICANT

#CFS101 - 1 lb. Can

AIR SEEDER LUBE / TALC

TALC GRAPHITE BLEND

#CFS308 - 8 lb. Jug

Users of Seed Slik lubricants have the responsibility to comply with all local and national regulations.

FERTILIZER SPREADER



Ground Drive, Tow Type

#PTS100

A multi use spreader that can be towed behind your tractor or ATV/ UTV. With a capacity of up to 225 lbs. One piece painted hopper, poly spreading disc. 13 x 5.00 - 6 turf tires.

FOB St. Marys, ON. Set-up extra.



POLY FERTILIZER **SPREADERS**

..........

Two models, 575 lb. and 860 lb. capacity Galvanized spin disc type distribution Cat. I - 3 Pt. Hitch, 540 RPM PTO FOB St. Marys, ON. Set-up extra.

#SSP250 575 lb. capacity.....

#SSP400



12V BROADCAST FIMCO

SPREADERS

For Seed, Fertilizer and More

2.2 CU.FT. /145 LB. capacity Stainless steel radial 6 blade Fan/Spinner 12 volt motor, Variable speed controller Up to 45 ft spreading width

Set-up Extra, FOB St. Marys, ON #ATVDMS12V ATV MOUNT With Universal ATV

Mounting Brackets



#5058193 - Clear hopper cover \$18

#5301901 - 2" receiver hitch for ATV model to mount to 2" truck hitch.....\$229

FERTILIZER SPREADER



AMAZONE ZA-X fertilizer spreaders to meet the demands of end-users and environmental protection: precise, reliable, reasonably priced.



900 L gallon capacity with 18m working width. Complete spreading system made from stainless steel.

Double shutter system for an optimum rate setting and a quicker action for both opening and closing.

Double tipped hopper with optimum shape for continuous flow monitoring and more precision.

Fine-mesh filling sieves prevent problems when spreading and are easy to fold up and lock in position, comfortable

Convenience and reliability due to simple and easily accessible adjustment of spread rate and working width.

Included: Swiveling Cover, Rolling Device & **Row Spreader attachment for Orchards**

Hackett Chain Harrows

Pull type chain harrows ideal for use around the farm, horse paddocks, pasture land, riding arenas or gardens 1/2" diameter x 3-1/2" long high tensile steel tine.

Available in 4ft, 6ft, 8ft, 12ft and 16ft working widths by 4ft or 8ft long

FOB St. Mary's, ON See your Farm-Fleet dealer.

PRICED FROM

FINISHING MOWER

Rear discharge, with rear safety guard chains, 3 spindles, 3 blades. Cat 1 3 Pt hitch, 540 RPM PTO. 3" x 8" solid tires. Double v-belt drive FOB St. Marys, ON. Set-up extra.



#BFM105 60"/ 5ft cutting width.....

#BFM106

LANDSCAPE RAKES





CAT I, 3 Pt. Hitch 1" x 5/16" x 27" tines Ability to angle left or right at different angle positions. Optional gauge wheels available FOB St. Marys, ON. Set-up extra.



IRONCRAFT

#5104 4' working width	\$134900
#5105	\$152900
5' working width	

WORKSAVER

#MCR6 6' working width	\$159900
#MCR7 7' working width	±169900
	4011
#SGW10 Single gauge wheel	\$.36900
#DGW20	+05000
#DGW20 Dual gauge wheels	\$ 9990 0

ROTARY CUTTER



#WRC11524BSC 24" self propelled walk behind rough cut mower 11.5 HP Briggs & Stratton Engine 4" fixed cutting height Heavy duty front casters FOB St. Marys, ON. Set-up extra.



PTO POST HOLE DIGGERS



Worksaver PTO diggers are designed for use with sub compact to heavy duty tractors. 2" round output spindle

Set-up Extra - FOB St. Marys, ON



#300 Sub compact tractor up to 25 HP Cat 0	
#500WS Standard duty requires 20 to 35 HP Cat I & II	
#720 Heavy duty requires 25 to 65 HP Cat I & II	
#925 Extra heavy duty requires 35 to 95 HP Cat I & II)

AUGERS			
#9SF	9" X 30" single flight (for model 300)	\$35900	
#12SF	12" X 30" single flight (for model 300)	\$36900	
#9HDDF			
#12HDD	OF 12" X 42" double flight	\$569 00	
#18HDD	OF 18" X 42" double flight	\$104900	
	OF 24" X 42" double flight		

POST DRIVER DANUSER T3 Series



A small post driver with big results. Drives up to 3" OD pipe, at 6 strokes per second. Optional tilt bracket allows for 20 degree adjustments

Set-up Extra FOB St. Marys, ON

#DU21300 T3 Drive unit.......\$344900 #DU21305 Skid steer QA mount.....\$48900

Other mounts available

MAC BUCKET Material Handling Bucket & Mixer

The MAC Bucket replaces the manual labor of moving and mixing materials and is perfect for tight conditions where larger equipment is not ideal. Transport, Mix, and dispense concrete, wildlife feed, agriculture grains, gravel, asphalt and more!



Set-up Extra - FOB St. Marys, ON

#DU230400 Rubber auger mixing bucket.....

#DU230401 Steel auger mixing bucket......\$699900

MINI SKID WYSTEER PALLET FORKS



Pallet Forks designed for Mini Skid Steers / Compact Tool Carriers. These tools elevate the professional's productivity while offering the large property owner increased flexibility.

Set-up Extra - FOB St. Marys, ON

#MPF-1200B/G

#MPF-2000

#MPF-2000B/G

MINI SKID STEER COMPACT GRAPPLE





Overall unit width is 48". Offers great versatility in clearing brush, piling limbs, orchard prunings or other hard to handle materials.

Set-up Extra - FOB St. Marys, ON

MGU-48

Toro-Dingo, Boxer, Ditch Witch Ramrod & others.....



\$329900

AGRICULTURAL **GPS**



The BlackBox Air is supplied with a Bluetooth GPS receiver with WAAS, EGNOS and GLONASS as standard.

With built in terrain compensation, the BlackBox Air provides an accurate location for all field operations. It can provide straight and curved guidance modes. Suitable for any application benefiting from GPS. Easy installation, operates from the 12V vehicle power supply



#05-05-0033...

\$218900

LOG HOLDER

The Timber Croc Log Holder is able to safely and securely grip logs exceeding 20 Kgs. The Timber Croc Log Holder will hold a log without any other support to make cutting wood a safe, one person job. Also standing higher off the ground, there is enough clearance to wheel a small trailer underneath that will catch the falling logs. The Timber Croc Log Holder is quick and simple to set up and folds for convenient transport and storage.





#TCLH1

115cm high x 116cm long x 45cm wide

TRACTOR CANOPIES





Flexible UV stabilized polyethylene. Available in two sizes. Colors available are White, Green, Orange, Blue, Red & Yellow FOB St. Marys, ON

Junior 34" wide x 47" long . .

Standard 45" wide x 60" long . (No yellow available)

Requires mounting brackets to mount to tractor ROPS \$16900 to \$23900

See page 154 & 155 of the Farm Fleet catalogue for pricing and complete details on the tractors mounts. www.farmfleet.com



www.farmfleet.com





Your FARM-FLEET dealer provides good service and excellent value. We regret we cannot offer rain checks or guarantee delivery as some items are limited to existing inventory. We reserve the right to correct pricing errors, limit quantities or make merchandise substitutions. Price is Cash and Carry, No Trades. Pictures are representative only and may vary from actual product. Sale prices may be subject to added freight & setup. Prices subject to change without notice. Not all products stocked at all locations. PRICES IN EFFECT UNTIL MAY 31, 2025.

EMAIL: sales@farmfleet.com